



Advancements in Hydroponic Systems: A Comprehensive Review

Umesh Thapa ^{a*}, Narendra Nath Hansda ^a, Sourav Kundu ^a,
Anmol Giri ^b, Dupchen Tamang ^a
and Abujafar Oliyrahman ^a

^a Department of Vegetable Science, Faculty of Horticulture, Bidhan Chandra Krishi Viswavidyalaya, P.O. Krishi Viswavidyalaya, Mohanpur, Nadia, West Bengal, India.

^b Department of Agricultural Economics, Faculty of Agriculture, Bidhan Chandra Krishi Viswavidyalaya, P.O. Krishi Viswavidyalaya, Mohanpur, Nadia, West Bengal, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: <https://doi.org/10.9734/acri/2024/v24i11973>

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/126393>

Review Article

Received: 09/09/2024
Accepted: 11/11/2024
Published: 16/11/2024

ABSTRACT

Hydroponics, the practice of growing plants without soil using mineral nutrient solutions in water, represents a significant shift in agricultural methodologies. Modern hydroponic systems have evolved substantially since the early 20th century, with advancements in system design, automation, nutrient management, and environmental control enhancing efficiency, scalability, and applicability. This review examines recent innovations that have addressed traditional challenges and created new opportunities for hydroponic cultivation. Hydroponics offers advantages over traditional soil-based agriculture, including precise nutrient control, reduced water usage, and the elimination of soil-borne diseases and pests. These benefits

*Corresponding author: Email: drumesh.thapa@gmail.com;

are critical in addressing modern agricultural challenges such as soil degradation, water scarcity, and the need for increased food production for a growing global population. Hydroponic systems can be implemented in diverse environments, making them adaptable solutions for enhancing food security and sustainability. Key developments in various hydroponic systems are highlighted, including the Nutrient Film Technique (NFT), Deep Water Culture (DWC), Ebb and Flow, Aeroponics, Wick Systems, and Drip Systems. Innovations in these systems focus on optimizing nutrient delivery, oxygenation, and integrating sensors for precise control, improving overall performance and yield.

Technological advancements, such as automation and control systems, sensors, and monitoring technologies, have revolutionized hydroponic farming by enabling real-time data collection and environmental management. The integration of the Internet of Things (IoT) and smart farming practices, combined with data analytics and machine learning, has further optimized system performance and decision-making. LED lighting and vertical farming techniques have maximized space utilization and improved crop yields, particularly in urban environments. Advances in nutrient solutions, disease management, and water quality have optimized plant health and resource efficiency. Economic and environmental considerations, including cost-benefit analyses and comparisons with traditional agriculture, highlight the potential for hydroponics to offer better returns on investment and reduce environmental impact.

Despite the significant progress, challenges such as high initial setup costs and technical complexities remain. Future research opportunities and interdisciplinary collaborations are essential to address these challenges and drive further innovation in hydroponic farming.

Keywords: Hydroponics; soilless; advancements.

1. INTRODUCTION

Hydroponics, the practice of growing plants without soil by using mineral nutrient solutions in an aqueous solvent, represents a significant shift in agricultural methodologies. This technique, which traces its roots back to ancient civilizations like the Hanging Gardens of Babylon and the floating gardens of the Aztecs, has evolved into a sophisticated science over the centuries (Resh, 2013). Modern hydroponic systems began to take shape in the early 20th century with the work of Dr. William Frederick Gericke of the University of California, who popularized the term “hydroponics” and demonstrated its potential for large-scale crop production (Jones, 2016).

Unlike traditional soil-based agriculture methods, hydroponics offers several advantages, including the ability to precisely control nutrient levels, reduced water usage, and the elimination of soil-borne diseases and pests (Sharma et al., 2018). These benefits are particularly important in the context of modern agriculture, which faces numerous challenges such as soil degradation, reduction in cultivated area, water scarcity, and the need to increase food production for a growing global population (8.6 billion by mid-2030, 9.8 billion by mid-2050, and 11.2 billion by 2100; Wikipedia) (Godfray et al., 2010). Diverse environments, from urban rooftops to barren deserts, can implement hydroponic systems,

making them an adaptable solution for enhancing food security and sustainability (Butler & Oebker, 2006).

In recent years, hydroponics has gained significant traction as a viable alternative to conventional farming. Its ability to produce high yields in controlled environments lines up well with the goals of urban agriculture and vertical farming, which aim to maximize space and resources in densely populated areas (Despommier, 2010). Moreover, the rise of organic and locally-grown food movements has stimulated interest in hydroponic farming, as it can produce pesticide-free crops with a minimal environmental footprint (Barbosa et al., 2015).

The primary objective of this review is to provide a comprehensive summary of recent advancements in hydroponic systems. Over the past decade, significant technological and methodological innovations have transformed hydroponic farming, enhancing its efficiency, scalability, and applicability across different contexts. This review will cover key developments in system design, automation, nutrient management, and environmental control, highlighting how these innovations have addressed traditional challenges and opened new opportunities for hydroponic cultivation.

Another critical objective is to identify and evaluate the impact of these key innovations in the field of hydroponics. By analysing the latest research and practical applications, this review will show how developments such as IoT integration, advanced LED lighting, and vertical farming techniques have revolutionized hydroponic farming practices (Kumar & Kalita, 2017). The review will also discuss the implications of these innovations for crop performance, resource efficiency, and economic viability, providing a holistic understanding of the current state of hydroponics.

Finally, the review aims to discuss future directions and potential research areas in hydroponic farming. Despite the significant progress made, several challenges and bottlenecks remain, such as high initial setup costs, technical complexities, and the need for further optimization of nutrient solutions and environmental conditions (Kozai, Niu, & Takagaki, 2015). By identifying these areas and suggesting potential research pathways, this review will contribute to the ongoing development and refinement of hydroponic systems, supporting their broader adoption and integration into mainstream agricultural practices.

2. TYPES OF HYDROPONIC SYSTEMS

2.1 Nutrient Film Technique (NFT)

- i) **Principles and Applications:** The Nutrient Film Technique (NFT) involves a continuous flow of nutrient-rich water over the plant roots. This thin film of solution provides the necessary nutrients while allowing ample oxygen to enter the roots. Developed by Dr. Allen Cooper in the 1960s, NFT systems have been widely adopted for their simplicity and efficiency in growing a variety of crops, particularly leafy greens, and herbs (Cooper, 1979). NFT systems are popular in commercial hydroponics due to their scalability and low water usage. They are ideal for small to medium-sized plants with short growth cycles, as the shallow solution layer ensures rapid nutrient uptake and healthy root development (Jensen & Collins, 1985).
- ii) **Recent Advancements:** Recent advancements in NFT systems focus on optimizing the flow rates and improving the design of channels to prevent root matting and ensure uniform nutrient distribution

(Resh, 2013). Innovations include the use of modular systems that allow simple expansion and the integration of sensors to monitor nutrient levels, pH, and temperature, facilitating precise control over the growing environment (Lakhari et al., 2018). Additionally, advancements in materials have led to the development of UV-resistant and food-grade plastics for channels, enhancing durability and safety (Sharma et al., 2018). Research is ongoing to improve the efficiency of nutrient delivery and reduce the risks of root diseases associated with standing water (Jones, 2016).

2.2 Deep Water Culture (DWC)

- i. **System Design and Efficiency:** Deep Water Culture (DWC) systems involve suspending plant roots in oxygenated nutrient-rich water. Unlike NFT, DWC maintains a constant level of nutrient solution, providing continuous access to water, oxygen, and nutrients. This system is particularly effective for fast-growing, water-loving plants like lettuce and basil (Jensen, 1997). DWC systems are lauded for their simplicity and high oxygenation levels, which promote rapid growth and higher yields. The use of air pumps and air stones ensures that the nutrient solution remains well-oxygenated, preventing root rot and encouraging vigorous root development (Resh, 2013).
- ii. **Innovations in DWC Systems:** Recent innovations in DWC systems include the integration of automated monitoring and control systems to maintain optimal nutrient and oxygen levels. Advances in aeration technology, such as the use of fine bubble diffusers, have improved oxygen dissolution in the nutrient solution, enhancing plant health and growth rates (Marcelino et al., 2023). Additionally, research into alternative oxygenation methods, such as oxygen-enriched nutrient solutions, is ongoing to further boost system efficiency (Singh 2021).

2.3 Ebb and Flow (Flood and Drain)

- 1) **Mechanism and Benefits:** Ebb and Flow systems operate by periodically flooding the grow bed with nutrient solution and then draining it back into a reservoir. This cyclic process provides plants with both

the nutrients they need and sufficient oxygen during the drain phase. The intermittent flooding helps to prevent salt build-up and promotes a robust root system (Jones, 2016). The periodic drying of roots mimics natural conditions, reducing the risk of root diseases.

- 2) **Latest Developments:** Advancements in Ebb and Flow systems have focused on improving the timing and control of the flooding cycles. Automated timers and smart controllers now allow precise management of flood durations and frequencies, optimizing water and nutrient use (Sharma et al., 2018). Innovations include the use of advanced grow media, such as expanded clay pellets and coconut coir, which enhance drainage and aeration. Researchers are also exploring the use of sensors to monitor root zone moisture and adjust flooding cycles in real-time, further improving efficiency and plant health (Resh, 2013).

2.4 Aeroponics

- 1) **Overview and Functioning:** Aeroponics involves suspending plant roots in the air and periodically misting them with a nutrient solution. This method ensures maximum oxygen exposure to the roots while providing the necessary nutrients and water. Aeroponics is known for its efficiency and ability to produce high yields with minimal water and nutrient use (Lakhiar et al., 2018).
- 2) **Technological Advancements:** Technological advancements in aeroponics have focused on improving the design of misting systems to ensure uniform coverage and prevent clogging. High-pressure misting systems and ultrasonic foggers have been developed to create fine nutrient droplets that enhance nutrient absorption (Soffer & Burger, 1988). Automation and smart control systems now monitor and adjust misting intervals based on plant needs, environmental conditions, and growth stages, optimizing resource use, and improving crop yields (Sharma et al., 2018).

2.5 Wick Systems

- i) **Basic Concepts and Uses:** Wick systems are among the simplest hydroponic setups, relying on capillary action to deliver

nutrient solution to plant roots via a wick material. These systems are passive and do not require pumps or complex equipment, making them ideal for beginners and small-scale growers (Resh, 2013). Wick systems are best suited for small plants and herbs that do not have high nutrient or water demands. They are easy to set up and maintain, offering a low-cost entry into hydroponics (Jones, 2016).

- ii) **Improvements and Modifications:** Researchers are exploring the integration of wicking systems with other hydroponic techniques, such as combining wicking with NFT or DWC setups, to leverage the benefits of multiple systems. Additionally, innovative designs now incorporate modular wicking components that can be easily scaled or adjusted based on plant needs.

2.6 Drip Systems

- i) **Operation and Advantages:** Drip systems deliver nutrient solution directly to the base of each plant through a network of tubing and emitters. This precise delivery method reduces water and nutrient wastage and allows for individual plant needs to be met efficiently (Resh, 2013).
- ii) **Cutting-Edge Innovations:** Innovations in drip systems have focused on enhancing efficiency and automation. Advanced emitters that provide adjustable flow rates and self-cleaning capabilities have been developed to prevent clogging and ensure consistent nutrient delivery (Sharma et al., 2018). Smart irrigation controllers now integrate with sensors to monitor soil moisture, nutrient levels, and environmental conditions, adjusting the drip irrigation schedule in real-time to optimize plant growth.

3. TECHNOLOGICAL ADVANCEMENTS IN HYDROPONICS

3.1 Automation and Control Systems

1. **Sensors and Monitoring Technologies:** The integration of sensors and monitoring technologies has revolutionized hydroponic farming by providing real-time data on various environmental and system parameters. Sensors are employed to measure factors such as nutrient levels, pH, temperature, humidity, and light

intensity, enabling precise control over the growing environment. These technologies facilitate optimal growing conditions, ensuring plant health and maximizing yield (Resh, 2013). Advancements in sensor technology have led to the development of wireless and low-power sensors, which enhance the efficiency and scalability of hydroponic systems (Shi et al., 2018).

2. **Automated Nutrient Delivery and pH Control:** Automated systems for nutrient delivery and pH control have become increasingly sophisticated, incorporating advanced algorithms and feedback loops to maintain ideal conditions for plant growth. These systems can automatically adjust nutrient concentrations and pH levels based on sensor data, reducing manual labour, and minimizing the risk of human error (Domingues et al., 2012). Additionally, advancements in precision agriculture have led to the development of variable rate technology, which allows for the customized application of nutrients to different zones within a hydroponic system, further optimizing resource use and crop performance (Grisso et al., 2011).

3.2 IoT and Smart Farming

- i) **Integration of IoT Devices:** The Internet of Things (IoT) has significantly impacted hydroponic farming by enabling the seamless integration of various devices and systems. IoT devices, such as smart sensors, automated controllers, and connected cameras, provide a comprehensive overview of the hydroponic environment, allowing for remote monitoring and control (Hu et al., 2021). The use of IoT in hydroponics extends to data collection and analysis, where connected devices continuously gather information that can be used to improve system performance and predict potential issues (Liang et al., 2023).
- ii) **Data Analytics and Machine Learning Applications:** Data analytics and machine learning (ML) applications have emerged as powerful tools in hydroponic farming, offering insights that drive decision-making and system optimization. By analysing data collected from IoT devices, growers can identify patterns and correlations that inform better management practices (Tantalaki, et al., 2019). ML algorithms can

predict crop growth rates, nutrient requirements, and potential disease outbreaks, allowing for proactive interventions (Kamilaris et al., 2018).

3.3 LED Lighting and Photoperiod Management

- i) **Advances in LED Technology:** The development of light-emitting diode (LED) technology has transformed the lighting strategies used in hydroponics. LEDs offer several advantages over traditional lighting sources, including energy efficiency, long lifespan, and the ability to emit specific wavelengths of light that are optimal for plant growth (Bourget, 2008). Modern LED systems can be programmed to deliver precise light cycles, adjusting intensity and spectral output to match the needs of different crops and growth phases. This flexibility enhances photosynthesis and promotes healthier, faster-growing plants (Mitchell et al., 2015).

3.4 Vertical Farming and Space Utilization

- i) **Techniques for Maximizing Space:** Vertical farming techniques have been developed to maximize space utilization in hydroponic systems, particularly in urban environments where land is limited. By stacking growing units vertically, these systems can produce significantly more food per square meter compared to traditional horizontal farming (Despommier, 2010). Innovative designs in vertical farming include rotating towers, multi-level shelving units, and vertical wall gardens, each offering unique advantages in terms of space efficiency and crop yield (Banerjee & Adenaeuer, 2014). These systems are often modular, allowing for easy expansion and adaptation to different growing environments (Graamans et al., 2018).
- ii) **Innovations in Vertical Hydroponic Systems:** Recent innovations in vertical hydroponic systems focus on integrating automation and smart technologies to enhance productivity and sustainability. Automated systems for nutrient delivery, lighting, and environmental control ensure optimal growing conditions at all levels of the vertical structure (Kalantari et al., 2017). IoT-enabled sensors and control systems provide real-time data and

analytics, allowing for precise management of the vertical farm environment (Benke & Tomkins, 2017). In addition to technological advancements, researchers are exploring new materials and construction techniques to improve the structural integrity and efficiency of vertical hydroponic systems. Lightweight, durable materials and innovative design solutions are making it easier to implement vertical farming in a variety of settings, from urban rooftops to indoor facilities (Kalantari et al., 2018).

4. NUTRIENT SOLUTIONS AND PLANT HEALTH

4.1 Optimization of Nutrient Formulations

- i) **Advances in Nutrient Solution Composition:** The development of optimized nutrient formulations has been a cornerstone of hydroponic systems, facilitating precise control over plant nutrition and enhancing overall plant health and productivity. Recent advances in nutrient solution composition have focused on balancing macro and micronutrients to meet the specific needs of different plant species and growth stages (Savvas, 2003). Researchers have explored the use of chelated micronutrients to improve nutrient availability and uptake by plants, reducing the risk of deficiencies and imbalances (Jones, 2014).
- ii) **Tailoring Nutrients to Specific Crops:** Tailoring nutrient solutions to specific crops is a critical aspect of optimizing plant growth and yield in hydroponic systems. Each plant species has unique nutritional requirements, and custom formulations can enhance growth rates, fruit quality, and disease resistance (Marschner, 2011). Recent studies have investigated the effects of different nutrient formulations on various crops, identifying optimal nutrient ratios and concentrations for maximum productivity. For example, research on hydroponically grown strawberries has shown that adjusting the nutrient solution composition can significantly impact fruit size, flavour, and nutritional content (Trejo-Téllez et al., 2014). Chettri et al. 2024 reported in tomato that the nutrient solution with an 8 mM nitrogen concentration exhibited a significantly augmented effect on increasing the equatorial and polar

diameter of fruits, average fruit weight, pericarp thickness, as well as the accumulation of total chlorophyll, ascorbic acid, lycopene, β -carotene, and total soluble solids (TSS) content. These findings demonstrate the pronounced and positive influence of the 8 mM nitrogen concentration on the aforementioned quality characteristics. As reported by Thapa et al. 2022 in Lettuce the average growth rate, showed significant positive response to Nitrogen as nutrient solution. The present study demonstrates that optimum levels of N (10 mmolL^{-1}) and significantly increase the leaf yield and quality of the lettuce.

4.2 Disease Management and Pest Control

- i) **Innovations in Disease Prevention and Treatment:** Effective disease management is crucial for maintaining plant health and ensuring high yields in hydroponic systems. Innovations in disease prevention and treatment include the use of biological control agents, such as beneficial bacteria and fungi, which can suppress pathogenic microorganisms and promote plant health (Harman et al., 2004). These biocontrol agents are applied through nutrient solutions or as root inoculants, providing a sustainable alternative to chemical pesticides (Paulitz & Bélanger, 2001).
- ii) **Integrated Pest Management Strategies:** Integrated Pest Management (IPM) strategies in hydroponic systems combine biological, cultural, mechanical, and chemical methods to control pest populations and reduce reliance on synthetic pesticides (Ehler, 2006). Biological control, using natural predators and parasitoids, is a cornerstone of IPM, providing effective and environmentally friendly pest management solutions (Bale et al., 2008).

4.3 Water Quality and Recycling

- i) **Advances in Water Purification and Reuse:** Maintaining high water quality is essential for the success of hydroponic systems, as water serves as the medium for nutrient delivery and plant growth. Advances in water purification technologies, such as reverse osmosis, UV sterilization, and ozonation, have improved

the ability to remove contaminants and pathogens from water sources, ensuring a clean and safe growing environment. These purification methods help prevent the buildup of harmful substances and reduce the risk of waterborne diseases (Fatta-Kassinos et al., 2011).

- ii) **Impact on System Sustainability:** Water quality and recycling practices significantly impact the sustainability of hydroponic systems, contributing to resource conservation and environmental protection. By optimizing water use and reducing waste, hydroponic systems can operate more efficiently and sustainably compared to traditional soil-based agriculture (Jones, 2014). The ability to recycle water and nutrients not only conserves these valuable resources but also minimizes the environmental footprint of hydroponic operations (Barbosa et al., 2015).

5. CROP PERFORMANCE AND YIELD OPTIMIZATION

5.1 Genetic Improvement and Crop Selection

- i) **Breeding Programs for Hydroponic Systems:** Genetic improvement and crop selection are critical for optimizing performance and yield in hydroponic systems. Breeding programs tailored to hydroponic environments focus on developing cultivars that thrive under soilless conditions, exhibit robust growth, and produce high yields (Resh, 2013). These programs often target traits such as disease resistance, nutrient use efficiency, and tolerance to environmental stresses, which are particularly important in the controlled environments typical of hydroponic systems (Savvas & Gruda, 2018).
- ii) **Selection of High-Yield and Resilient Crops:** Selecting high-yield and resilient crops is crucial for maximizing productivity in hydroponic systems. Crops are chosen based on their adaptability to hydroponic conditions, growth rate, and potential for high yield and quality. Leafy greens, herbs, and fruiting vegetables like tomatoes and cucumbers are commonly grown in hydroponics due to their rapid growth cycles and high market demand (Sharma et al., 2018).

5.2 Growth Media Innovations

- i) **Advances in Alternative Growing Media:** The choice of growing media in hydroponics is pivotal for supporting plant growth, root development, and nutrient uptake. Recent innovations in alternative growing media have focused on enhancing physical and chemical properties to optimize plant performance. Traditional media like rockwool, perlite, and coco coir have been supplemented or replaced by advanced materials such as biochar, vermiculite, and engineered substrates that offer improved aeration, water retention, and nutrient exchange (Savvas & Gruda, 2018). Biochar, for instance, has gained attention for its ability to enhance microbial activity and improve nutrient retention, thus promoting healthier root systems and better plant growth (Lehmann et al., 2011).
- ii) **Impact on Root Development and Nutrient Uptake:** The impact of growing media on root development and nutrient uptake is profound, as the physical and chemical properties of the media influence root morphology, health, and functionality. Innovative growing media are designed to provide optimal conditions for root growth, including adequate oxygenation and moisture balance, which are crucial for nutrient absorption and overall plant health (Barbosa et al., 2015).

5.3 Environmental Control and Optimization

- i) **Climate Control Technologies:** Environmental control is a key factor in the success of hydroponic systems, where precise regulation of climate variables such as temperature, humidity, and CO₂ levels are essential for optimizing plant growth and yield. Advanced climate control technologies, including automated HVAC systems, environmental sensors, and computer-controlled systems, allow for real-time monitoring and adjustments to maintain optimal growing conditions (Despommier, 2010).
- ii) **Optimization of Temperature, Humidity, and CO₂ Levels:** Optimizing temperature, humidity, and CO₂ levels is crucial for maximizing plant performance in hydroponic systems.

Temperature control is vital, as extreme temperatures can adversely affect plant metabolism, growth, and development. Advanced heating and cooling systems help maintain optimal temperature ranges, ensuring that plants are not subjected to thermal stress (Resh, 2013).

Humidity control is equally important, as high humidity levels can promote the growth of pathogens and reduce transpiration rates, while low humidity can cause excessive water loss and stress. Humidity regulation systems, including dehumidifiers and misting systems, help maintain optimal moisture levels in the air, supporting healthy plant growth.

CO₂ enrichment is another critical aspect of environmental optimization. Increasing CO₂ levels in the growing environment can significantly enhance photosynthetic efficiency and biomass accumulation, leading to higher yields. Controlled CO₂ delivery systems allow for precise regulation of CO₂ concentrations, ensuring that plants receive adequate carbon for optimal growth.

6. ECONOMIC AND ENVIRONMENTAL CONSIDERATIONS

6.1 Cost-Benefit Analysis

- i) **Economic Viability of Modern Hydroponic Systems:** Hydroponic systems have garnered significant attention due to their potential for higher yields and resource efficiency compared to traditional soil-based agriculture. However, the economic viability of these systems depends on several factors, including initial setup costs, operational expenses, and market demand for hydroponically grown produce. Initial investments for hydroponic systems can be substantial, encompassing costs for infrastructure, lighting, climate control systems, and automation technologies (Jones, 2014; Resh, 2013). For instance, vertical farming setups, which often use hydroponics, require significant capital for constructing multi-layer growing structures and integrating advanced technologies such as LED lighting and environmental control systems (Despommier, 2010).

Operational costs in hydroponic systems include expenses for electricity, water, nutrients, and

labour. Despite higher initial and operational costs, hydroponics can be economically viable in the long term due to higher productivity and the ability to produce crops year-round, independent of external climatic conditions (Sharma et al., 2018). Studies have shown that hydroponic systems can yield more produce per square meter compared to traditional farming, translating into higher revenue (Barbosa et al., 2015). Additionally, the reduced need for pesticides and herbicides, coupled with efficient water and nutrient use, can lead to cost savings and higher profit margins (Resh, 2013).

- ii) **Comparative Analysis with Traditional Agriculture:** When comparing hydroponics with traditional agriculture, it is crucial to consider both the tangible and intangible benefits. Traditional agriculture relies heavily on large tracts of land, significant water resources, and extensive use of chemical inputs, which contribute to environmental degradation and unsustainable practices (Savvas & Gruda, 2018). In contrast, hydroponics offers a more controlled environment that can optimize resource use and reduce environmental impact (Sonneveld & Voogt, 2009).

Economic comparisons between hydroponics and traditional farming reveal that while hydroponic systems may have higher upfront costs, they offer better returns on investment through higher crop yields and reduced resource use (Sharma et al., 2018). For example, leafy greens grown hydroponically have been found to reach market size faster and with greater consistency compared to those grown in soil, leading to more efficient production cycles and quicker returns (Barbosa et al., 2015). Moreover, hydroponic systems can be located closer to urban centres, reducing transportation costs, and providing fresher produce to consumers (Despommier, 2010).

7. CHALLENGES AND FUTURE DIRECTIONS

7.1 Current Limitations and Bottlenecks

- i) **Technical and Economic Challenges:** Despite the numerous advantages of hydroponic systems, there are several technical and economic challenges that hinder their widespread adoption. One of the primary technical challenges is the

complexity of managing nutrient solutions and ensuring optimal nutrient delivery to plants. The precise control required for nutrient concentration and pH levels demands sophisticated monitoring and automation systems, which can be costly and difficult to maintain (Resh, 2013).

Economic challenges also play a significant role in limiting the scalability of hydroponic systems. The initial setup costs for hydroponic facilities can be prohibitive, especially for small-scale or resource-limited farmers. These costs include investments in infrastructure, lighting, climate control systems, and automation technologies (Barbosa et al., 2015). Operational expenses, including energy costs for artificial lighting and climate control, can further impact the economic viability of hydroponics, particularly in regions with high electricity prices (Sharma et al., 2018).

7.2 Future Research Opportunities

- i) **Emerging Technologies and Potential Breakthroughs:** Future research in hydroponics is poised to leverage emerging technologies that could revolutionize the field. Advances in sensor technologies and data analytics offer the potential for more precise and efficient management of hydroponic systems. For example, real-time monitoring of nutrient levels, pH, and environmental conditions through advanced sensors can enable more responsive and adaptive management strategies (Kalantari et al., 2017). Machine learning and AI can further enhance decision-making processes, optimizing nutrient delivery and climate control based on predictive models (Singh et al., 2015).

Another promising area of research is the development of more sustainable and cost-effective materials for hydroponic systems. Innovations in biodegradable and recyclable growing media, as well as the use of renewable energy sources such as solar power for lighting and climate control, can reduce the environmental footprint and operational costs of hydroponic systems (Olle & Virsile, 2013). Additionally, advances in genetic engineering and plant breeding could lead to the development of crop varieties specifically tailored for hydroponic environments, with enhanced growth rates, nutrient uptake efficiency, and disease resistance (Savvas & Gruda, 2018).

- ii) **Interdisciplinary Research and Collaboration Needs:** The future of hydroponics will benefit significantly from interdisciplinary research and collaboration. Integrating knowledge and expertise from fields such as plant science, engineering, environmental science, and data science is essential to address the complex challenges facing hydroponic systems. Collaborative efforts can drive innovation in system design, nutrient management, disease control, and sustainability practices.

Public-private partnerships and international collaborations can also play a crucial role in advancing hydroponic research and development. By pooling resources, expertise, and funding, such collaborations can accelerate the development and commercialization of innovative hydroponic technologies (Savvas & Gruda, 2018).

8. CONCLUSION

This review has synthesized significant advancements and innovations in hydroponic systems, showcasing a transformative journey from traditional agriculture to highly efficient and sustainable food production methods. The evolution encompasses key developments in nutrient solutions, disease management, and alternative growing media, underscoring a robust foundation for modern hydroponics. Technological steps in automation, IoT integration, and LED lighting have further revolutionized the field, enhancing productivity and resource utilization. The impact of these advancements extends far beyond mere efficiency gains, positioning hydroponics as a viable solution for urban agriculture and food production under resource constraints. By significantly improving resource efficiency and enabling year-round crop cultivation, hydroponic systems not only bolster food security but also mitigate environmental pressures associated with traditional farming practices. Moreover, ongoing research and the integration of emerging technologies promise to unlock new potentials, ushering in a future of sustainable agriculture driven by renewable energy and AI-driven management systems.

Looking forward, hydroponics holds immense promise for further innovation and application. Continued advancements in crop optimization and system scalability are poised to enhance

yields and operational efficiencies, ensuring a resilient food supply in the face of global challenges such as climate change and population growth. As a cornerstone of sustainable agriculture, hydroponics not only conserves arable land but also offers a pathway to enhanced food sovereignty through local production and reduced reliance on imported goods. The evolution of hydroponics stands as a testament to human ingenuity and the quest for sustainable solutions in food production. With ongoing innovation and strategic implementation, hydroponic systems are poised to play a pivotal role in ensuring food security and environmental stewardship for future generations.

DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc.) and text-to-image generators have been used during the writing or editing of this manuscript.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

- Bale, J. S., Van Lenteren, J. C., & Bigler, F. (2008). Biological control and sustainable food production. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363(1492), 761-776.
- Banerjee, C., & Adenauer, L. (2014). Up, up and away! The economics of vertical farming. *Journal of Agricultural Studies*, 2(1), 40-60.
- Benke, K., & Tomkins, B. (2017). Future food-production systems: vertical farming and controlled-environment agriculture. *Sustainability: Science, Practice and Policy*, 13(1), 13-26.
- Bourget, C. M. (2008). An introduction to light-emitting diodes. *HortScience*, 43(7), 1944-1946.
- Butler, J. D., & Oebker, N. F. (1962). Hydroponics as a hobby: growing plants without soil. *Circular*; 844.
- Cooper, A. (1979). The ABC of NFT. Nutrient film technique. The world's first method of crop production without a solid rooting medium (pp. x+-181).
- Chettri, Pravachan and Shil, Sanjoy and Thapa, Umesh (2024) Quantifying the Impact of Nitrogen Concentration Variations on Quality Characteristics of Soilless Cultivated Cherry Tomato. *Journal of Advances in Biology & Biotechnology*, 27 (10). pp. 981-989. ISSN 2394-1081
- Despommier, D. (2010). *The vertical farm: feeding the world in the 21st century*. Macmillan.
- Domingues, D. S., Takahashi, H. W., Camara, C. A., & Nixdorf, S. L. (2012). Automated system developed to control pH and concentration of nutrient solution evaluated in hydroponic lettuce production. *Computers and electronics in agriculture*, 84, 53-61.
- Ehler, L. E. (2006). Integrated pest management (IPM): definition, historical development and implementation, and the other IPM. *Pest management science*, 62(9), 787-789.
- Fatta-Kassinos, D., Kalavrouziotis, I. K., Koukoulakis, P. H., & Vasquez, M. I. (2011). The risks associated with wastewater reuse and xenobiotics in the agroecological environment. *Science of the Total Environment*, 409(19), 3555-3563.
- Godfray, H. C. J., Beddington, J. R., Crute, I. R., Haddad, L., Lawrence, D., Muir, J. F., ... & Toulmin, C. (2010). Food security: the challenge of feeding 9 billion people. *science*, 327(5967), 812-818.
- Graamans, L., Baeza, E., Van Den Dobbelsteen, A., Tsafaras, I., & Stanghellini, C. (2018). Plant factories versus greenhouses: Comparison of resource use efficiency. *Agricultural Systems*, 160, 31-43.
- Grisso, R. D., Alley, M. M., Thomason, W. E., Holshouser, D. L., & Roberson, G. T. (2011). Precision farming tools: variable-rate application.
- Harman, G. E., Howell, C. R., Viterbo, A., Chet, I., & Lorito, M. (2004). Trichoderma species—opportunistic, avirulent plant symbionts. *Nature reviews microbiology*, 2(1), 43-56.
- https://en.wikipedia.org/wiki/Population_growth#:~:text=The%20global%20population%20has%20grown,and%2011.2%20billion%20by%202100.
- Hu, H., Chen, Z., & Wu, P. W. (2021). Internet of things-enabled crop growth monitoring system for smart agriculture. *International Journal of Agricultural and Environmental Information Systems (IJAEIS)*, 12(2), 30-48.
- Jensen, M. H. (1997). *Hydroponics*.

- Jensen, M. H., & Collins, W. L. (1985). Hydroponic vegetable production.
- Jones Jr, J. B. (2016). Hydroponics: a practical guide for the soilless grower. CRC press.
- Kalantari, F., Mohd Tahir, O., Mahmoudi Lahijani, A., & Kalantari, S. (2017, November). A review of vertical farming technology: a guide for implementation of building integrated agriculture in cities. In *Advanced engineering forum* (Vol. 24, pp. 76-91). Trans Tech Publications Ltd.
- Kamilaris, A., Kartakoullis, A., & Prenafeta-Boldú, F. X. (2017). A review on the practice of big data analysis in agriculture. *Computers and Electronics in Agriculture*, 143, 23-37.
- Kozai, T., Niu, G., & Takagaki, M. (Eds.). (2019). *Plant factory: an indoor vertical farming system for efficient quality food production*. Academic press.
- Kumar, D., & Kalita, P. (2017). Reducing postharvest losses during storage of grain crops to strengthen food security in developing countries. *Foods*, 6(1), 8.
- Lages Barbosa, G., Almeida Gadelha, F. D., Kublik, N., Proctor, A., Reichelm, L., Weissinger, E., ... & Halden, R. U. (2015). Comparison of land, water, and energy requirements of lettuce grown using hydroponic vs. conventional agricultural methods. *International journal of environmental research and public health*, 12(6), 6879-6891.
- Lages Barbosa, G., Almeida Gadelha, F. D., Kublik, N., Proctor, A., Reichelm, L., Weissinger, E., ... & Halden, R. U. (2015). Comparison of land, water, and energy requirements of lettuce grown using hydroponic vs. conventional agricultural methods. *International journal of environmental research and public health*, 12(6), 6879-6891.
- Lages Barbosa, G., Almeida Gadelha, F. D., Kublik, N., Proctor, A., Reichelm, L., Weissinger, E., ... & Halden, R. U. (2015). Comparison of land, water, and energy requirements of lettuce grown using hydroponic vs. conventional agricultural methods. *International journal of environmental research and public health*, 12(6), 6879-6891.
- Lakhiar, I. A., Gao, J., Syed, T. N., Chandio, F. A., & Buttar, N. A. (2018). Modern plant cultivation technologies in agriculture under controlled environment: A review on aeroponics. *Journal of plant interactions*, 13(1), 338-352.
- Lakhiar, I. A., Jianmin, G., Syed, T. N., Chandio, F. A., Buttar, N. A., & Qureshi, W. A. (2018). Monitoring and control systems in agriculture using intelligent sensor techniques: A review of the aeroponic system. *Journal of sensors*, 2018(1), 8672769.
- Lehmann, J., Rillig, M. C., Thies, J., Masiello, C. A., Hockaday, W. C., & Crowley, D. (2011). Biochar effects on soil biota—a review. *Soil biology and biochemistry*, 43(9), 1812-1836.
- Liang, C., & Shah, T. (2023). IoT in agriculture: The future of precision monitoring and data-driven farming. *Eigenpub Review of Science and Technology*, 7(1), 85-104.
- Marcelino, K. R., Wongkiew, S., Shitanaka, T., Surendra, K. C., Song, B., & Khanal, S. K. (2023). Micronanobubble Aeration Enhances Plant Yield and Nitrification in Aquaponic Systems. *ACS ES&T Engineering*, 3(11), 2081-2096.
- Marschner, H. (Ed.). (2011). *Marschner's mineral nutrition of higher plants*. Academic press.
- Mitchell, C. A., Both, A. J., Bourget, C. M., Burr, J. F., Kubota, C., Lopez, R. G., ... & Runkle, E. S. (2012). LEDs: The future of greenhouse lighting!
- Olle, M., & Viršile, A. (2013). The effects of light-emitting diode lighting on greenhouse plant growth and quality. *Agricultural and food science*, 22(2), 223-234.
- Paulitz, T. C., & Bélanger, R. R. (2001). Biological control in greenhouse systems. *Annual review of phytopathology*, 39(1), 103-133.
- Resh, H. M. (2013). *Hydroponic food production: A definitive guidebook for the advanced home gardener and the commercial hydroponic grower*. CRC Press.
- Resh, H. M. (2022). *Hydroponic food production: a definitive guidebook for the advanced home gardener and the commercial hydroponic grower*. CRC press.
- Savvas, D., & Gruda, N. (2018). Application of soilless culture technologies in the modern greenhouse industry—A review. *Eur. J. Hortic. Sci*, 83(5), 280-293.
- Sharma, N., Acharya, S., Kumar, K., Singh, N., & Chaurasia, O. P. (2018). Hydroponics as an advanced technique for vegetable production: An overview. *Journal of Soil and Water Conservation*, 17(4), 364-371.
- Shi, H., Hou, K. M., Diao, X., Xing, L., Li, J. J., & De Vault, C. (2018). A wireless multimedia sensor network platform for environmental event detection dedicated to precision

- agriculture. arXiv preprint arXiv:1806.03237.
- Singh, D., Basu, C., Meinhardt-Wollweber, M., & Roth, B. (2015). LEDs for energy efficient greenhouse lighting. *Renewable and Sustainable Energy Reviews*, 49, 139-147.
- Singh, P. (2021, August). Response of cucumber plants to oxygen-enriched nutrient solution under different greenhouse environments. In *II International Symposium on Growing Media, Soilless Cultivation, and Compost Utilization in Horticulture* 1317 (pp. 47-54).
- Soffer, H., & Burger, D. W. (1988). Effects of dissolved oxygen concentrations in aeroponics on the formation and growth of adventitious roots. *Journal of the American Society for Horticultural Science*, 113(2), 218-221.
- Tantalaki, N., Souravlas, S., & Roumeliotis, M. (2019). Data-driven decision making in precision agriculture: The rise of big data in agricultural systems. *Journal of agricultural & food information*, 20(4), 344-380.
- Trejo-Téllez, L. I., & Gómez-Merino, F. C. (2014). Nutrient management in strawberry: Effects on yield, quality and plant health. *Strawberries: cultivation, antioxidant properties and health benefits*, 239-267.
- Thapa, U., Nandi, S., Rai, R., & Upadhyay, A. (2022). Effect of nitrogen levels and harvest timing on growth, yield and quality of lettuce under floating hydroponic system. *Journal of Plant Nutrition*, 45(17), 2563–2577. <https://doi.org/10.1080/01904167.2022.2064299>

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/126393>